

CLIMATE-RESILIENT AQUACULTURES THERMAL TOLERANCE, FEED STRATEGIES & ADAPTIVE MANAGEMENT FOR CHANGING TEMPERATURES

M.KARISHMA¹, K.SAI², B.DEVI SUPRIYA³, P.TEJA SRI⁴

¹PG scholar, Department of Zoology and Aquaculture, V.S.M College(A), Ramachandrapuram.

²PG scholar, Department of Zoology and Aquaculture, V.S.M College(A), Ramachandrapuram

³PG scholar, Department of Zoology and Aquaculture, V.S.M College(A), Ramachandrapuram

⁴Lecturer in Zoology and Aquaculture, V.S.M College(A), Ramachandrapuram

Abstract

Because of rising water temperatures, more frequent heatwaves, shifting dissolved oxygen levels, and erratic seasonal patterns, climate change is drastically changing aquatic habitats. The immune system, growth, feed efficiency, survival rates, and fish metabolism are all directly impacted by these temperature changes. Therefore, creating aquaculture systems that are climate resilient has become crucial to ensuring food security and sustainable production.

In order to improve aquaculture resilience under shifting temperature regimes, this study looks at the role of thermal tolerance, adaptive feeding techniques, and dynamic farm management. Genetics, acclimatization ability, life stage, and environmental factors all affect a species' ability to withstand heat. Long-term exposure to severe or inadequate temperatures can cause metabolic stress, decreased appetite, weakened immunity, and heightened vulnerability to illness.

Climate-resilient aquaculture can lower production risks, sustain growth performance, and improve sustainability in the face of global temperature unpredictability by fusing physiological knowledge, innovative nutrition, and intelligent management technologies. In order to protect aquatic food production in the event of future climate change, this coordinated approach is essential,

Keywords: Climate-Resilient Aquaculture, Thermal Tolerance, Temperature Stress, Heat Stress in Fish, Adaptive Management, Precision Feeding, Climate Change Impacts, Water Temperature Monitoring, Metabolic Adjustment, Selective Breeding for Heat Tolerance, Recirculating Aquaculture Systems (RAS), Dissolved Oxygen Dynamics, Nutritional Strategies, Sustainable Aquaculture, Environmental Stress Adaptation.

INTRODUCTION

Since aquaculture provides more than half of the aquatic food consumed globally, it is essential to global food security. But the industry is becoming more and more susceptible to the effects of climate change, including increased water temperatures, intense heat waves, changed precipitation patterns, and decreased dissolved oxygen levels. One of the most important environmental variables affecting fish physiology, metabolism, development, reproduction, and survival is temperature. Animal welfare and production efficiency can be greatly impacted by even little departures from ideal temperature ranges.

By raising oxygen demand and decreasing oxygen solubility in water, thermal stress upsets metabolic homeostasis. Reduced feed intake, decreased feed conversion efficiency, weakened immunity, and increased susceptibility to infections can result from this mismatch. Long-term exposure to below-optimal temperatures may also change hormone responses and increase the synthesis of physiological stress markers called heat shock proteins (HSPs). As a result, aquaculture systems face biological and financial hazards due to temperature fluctuations.

The genetic background, acclimation ability, life stage, and environmental history all have a significant impact on a species' heat tolerance. While temperate species frequently suffer stress during extended warming events, tropical species may be able to withstand higher temperatures but

are vulnerable to abrupt changes. Developing successful aquaculture practices that are climate resilient requires an understanding of these physiological thresholds.


One important adaptive strategy for reacting to temperature variations is feed management. Feeding plans must be dynamically modified to accommodate changing energy demands because metabolic rate rises with temperature (within biological bounds). Stress resilience and food utilization can be improved by adjusting feeding frequency, ration size, protein-to-energy (P:E) ratios, lipid inclusion levels, and the addition of functional supplements (such as probiotics, antioxidants, and immunostimulants). By optimizing feed distribution based on metabolic requirements, producers may minimize waste and sustain growth performance with precision feeding systems aided by temperature sensors and real-time monitoring technologies.

Adaptive farm management techniques are essential for reducing the dangers associated with temperature, in addition to nutritional methods. Recirculating Aquaculture Systems (RAS) integration, enhanced aeration systems, shade structures, pond depth optimization, water exchange management, and selective breeding initiatives aimed at heat-tolerant strains are a few of these. Predictive modeling of thermal events and proactive management interventions are further made possible by the integration of sensor networks, IoT platforms, and AI-based decision support systems.

A multidisciplinary strategy integrating physiology, nutrition, genetics, environmental monitoring, and smart technology is needed to develop climate-resilient aquaculture systems. Aqua can improve their heat tolerance, feed tactics, and adaptive management techniques.

Key Points

1. Climate change is increasing **water temperature variability**, posing significant risks to aquaculture productivity and fish health.
2. Temperature directly influences **metabolism, oxygen demand, growth rate, immunity, and survival** in cultured species.
3. Thermal stress reduces **feed intake, feed efficiency (FCR), and disease resistance**, leading to economic losses.
4. **Species-specific thermal tolerance** depends on genetics, acclimation capacity, and life stage.
5. Adaptive feeding strategies—adjusting **ration size, feeding frequency, and protein-to-energy (P:E) ratio**—help maintain performance under temperature fluctuations.
6. Inclusion of **functional feed additives** (antioxidants, probiotics, immunostimulants) enhances stress resilience.
7. Precision aquaculture tools (temperature sensors, IoT platforms, AI-based DSS) enable **real-time monitoring and predictive management**.
8. Farm-level adaptive practices such as **aeration optimization, shading, water exchange control, and RAS integration** reduce thermal stress impacts.
9. Selective breeding for **heat-tolerant strains** strengthens long-term climate resilience.
10. Integrated thermal management improves **sustainability, animal welfare, and production stability** under changing climate conditions.



REPORTING

Effective reporting is essential in climate-resilient aquaculture to monitor thermal risks, evaluate adaptive strategies, and support data-driven decision-making. Structured reporting systems transform temperature, water quality, feeding, and health data into actionable insights that enhance farm resilience under changing climate conditions.

1. Temperature & Environmental Monitoring Reports

Regular environmental reports should include:

1. Water temperature (surface and depth profiles)
2. Dissolved Oxygen (DO) levels
3. pH and salinity
4. Ammonia and nitrite concentrations
5. Daily and seasonal temperature fluctuations
6. Heatwave event records

Trend analysis helps identify abnormal warming patterns, thermal stress periods, and seasonal deviations from historical baselines.

2. Thermal Stress Assessment Reports

These reports evaluate the biological impact of temperature changes:

1. Species-specific optimal temperature range
2. Critical Thermal Maximum (CT_{max}) records
3. Heat stress indicators (e.g., reduced appetite, abnormal behavior)
4. Heat Shock Protein (HSP) response data (if available)
5. Mortality and morbidity trends during high-temperature events

Such reporting supports early intervention and long-term breeding decisions.

3. Feeding Strategy & Performance Reports

Adaptive feeding under temperature variation requires detailed documentation of:

1. Feeding frequency adjustments
2. Ration size modifications
3. Feed formulation changes (P:E ratio, lipid levels)
4. Feed Conversion Ratio (FCR) trends
5. Growth rate and biomass gain

Comparative reports before, during, and after temperature fluctuations help evaluate strategy effectiveness.

4. Energy & Aeration Management Reports

Since higher temperatures reduce oxygen solubility, reports should track:

1. Aeration system runtime and energy consumption
2. Oxygen supplementation records
3. Water exchange volumes
4. Performance of Recirculating Aquaculture Systems (RAS)

These reports help balance operational cost with fish health requirements.

5. Predictive & Risk Forecasting Reports

Integration of IoT, AI, and Decision Support Systems (DSS) enables:

1. Temperature forecasting models
2. Risk probability assessments for heatwaves
3. Early warning alerts
4. Scenario-based production planning

Predictive reports allow proactive adaptation rather than reactive crisis management.

6. Sustainability & Climate Compliance Reports

Climate-resilient aquaculture reporting may also include:

1. Carbon footprint and energy efficiency metrics
2. Water use efficiency
3. Climate adaptation measures implemented
4. Environmental impact documentation

These reports support certification programs and regulatory compliance.

Abbreviations

1. CC – Climate Change
2. CRT – Climate-Resilient Technologies
3. TT – Thermal Tolerance
4. HS – Heat Stress
5. DO – Dissolved Oxygen
6. WQ – Water Quality
7. RAS – Recirculating Aquaculture System
8. FCR – Feed Conversion Ratio
9. SST – Sea Surface Temperature
10. GHG – Greenhouse Gas
11. DSS – Decision Support System
12. IoT – Internet of Things
13. AI – Artificial Intelligence
14. ML – Machine Learning
15. HSP – Heat Shock Protein
16. P:E Ratio – Protein-to-Energy Ratio
17. TGC – Thermal Growth Coefficient
18. LC₅₀ – Lethal Concentration 50%
19. RCP – Representative Concentration Pathway

Conclusion

Comprehensive reporting systems are fundamental to climate-resilient aquaculture. By systematically documenting environmental conditions, feeding adjustments, health indicators, and adaptive management actions, farms can enhance resilience, reduce climate-related risks, and maintain sustainable production under rising and fluctuating temperatures.

References

1. Food and Agriculture Organization of the United Nations (FAO). 2022. *The State of World Fisheries and Aquaculture 2022 (SOFIA): Towards Blue Transformation*. Rome: FAO.

2. Intergovernmental Panel on Climate Change (IPCC). 2021. *Climate Change 2021: The Physical Science Basis*. Contribution of Working Group I to the Sixth Assessment Report. Cambridge University Press.
3. Intergovernmental Panel on Climate Change (IPCC). 2022. *Climate Change 2022: Impacts, Adaptation and Vulnerability*. Contribution of Working Group II to the Sixth Assessment Report. Cambridge University Press.
4. Ficke, A. D., Myrick, C. A., & Hansen, L. J. (2007). Potential impacts of global climate change on freshwater fisheries. *Reviews in Fish Biology and Fisheries*, 17, 581–613.
5. Pörtner, H. O., & Farrell, A. P. (2008). Physiology and climate change. *Science*, 322(5902), 690–692.
6. Boyd, C. E., & Tucker, C. S. (2012). *Pond Aquaculture Water Quality Management*. Springer.
7. Barange, M., Bahri, T., Beveridge, M. C. M., et al. (2018). *Impacts of Climate Change on Fisheries and Aquaculture*. FAO Fisheries and Aquaculture Technical Paper No. 627. Rome: FAO.
8. Dawood, M. A. O. (2021). Nutritional immunity and functional feeds in aquaculture under stress conditions. *Aquaculture Research*, 52(2), 439–450.
9. Abdel-Tawwab, M., & Monier, M. N. (2018). Stimulants and immunostimulants in aquaculture: Effects on fish health under environmental stress. *Fish & Shellfish Immunology*, 76, 241–256.
10. Tewksbury, J. J., Huey, R. B., & Deutsch, C. A. (2008). Ecology: Putting the heat on tropical animals. *Science*, 320(5881), 1296–1297.